

# Acquisition and Analysis of Android Memory

Prof. Christos Xenakis

# Outline

- **Background**
  - Live forensics
  - Android
  - LiME
  - Memory analysis
- **Testbed, experiments and scenarios**
- **Results and discussion**
- **Future work**

# Publications

- Dimitris Apostolopoulos, Giannis Marinakis, Christoforos Ntantogian, Christos Xenakis, "Discovering authentication credentials in volatile memory of Android mobile devices", *In Proc. 12th IFIP Conference on e-Business, e-Services, e-Society (I3E 2013), Athens, Greece, April 2013.*
- Christoforos Ntantogian, Dimitris Apostolopoulos, Giannis Marinakis, Christos Xenakis, "Evaluating the privacy of Android mobile applications under forensic analysis," *Computers & Security, Elsevier Science, [submitted] 2013.*


# What is Live Forensics?

- Traditionally, digital forensics deal with **non-volatile data**
  - Hard drives, removable media, etc.
- **Live forensics** deals with **volatile data**
  - RAM (*data in motion*)
    - Must be collected from a **running machine**
    - We do not have **absolute control** on the environment

# Why Live Forensics?

- RAM dumping provides both **structured** and **unstructured** information
  - Strings of application data, fragments of communications, **encryption keys**, etc.
  - Kernel and application structures
  - Processes, files opened, network structures, etc.
- RAM analysis can be used to **detect** and **understand** running **malware**

# Why Android ?



# Android

- **Java** language for Android applications
  - **\*.apk files**
- Each **apk** runs in a separate **process** inside its own **virtual machine** named **Dalvik**.
- The **Dalvik VM** relies on **the Linux kernel** for
  - **threading, low-level memory management, etc.**
- **Security:** No application, by default, has permission to any operations that would **adversely impact** other applications

# Memory Acquisition

- **LiME** is a **free tool** for memory acquisition of **Android devices** (phones, tablets)
  - Works on **Linux OS** too
- **Loadable Kernel Module**
- **Memory** dump directly to the **SD card** or over the **network**
  - **Network dump** over adb (Android Debug Bridge)
- **Minimizes** interaction between **user-land** and **kernel-land**
- <https://code.google.com/p/lime-forensics/>



# Creating LiME module

1. Compile the **source code** of the mobile device's kernel
2. Configure the **compiled kernel** with the **config.gz** file of the mobile device
3. Compile the **LiME module** with the **configured kernel** to create the **device-specific lime module**
  - **\*.ko**

# Using LiME

1. Connect the **mobile device** and the **PC** through **USB**
2. Establish a **network connection** between the **mobile device** and the **PC**
  - Using the *netcat tool*.
3. As a **root user** insert the **lime module (\*.ko)** to the **Android kernel**
  - Using the **command *insmod***
4. The **dumping** process begins !!!

# Forensic Soundness of LiME

1. Use **emulator** to get the RAM image
  2. Use **LiME** to acquire the RAM image
- Compare (1) and (2) to find **identical pages**

Total number of pages	Number of identical pages	Percentage of identical pages
131072	130365	99,64%

# LiME limitations

1. It requires **rooted devices** to execute *insmod*
  - to insert into the kernel the **lime module**
2. It requires the **source code** of the kernel to compile and create the **LiME module**
  - Each device (model) has a **different** kernel configuration based on **its hardware!**
  - The **source code** of kernel is **not always available**
3. It requires the **config.gz** file which has **configuration flags** specific for **each device** and for **each kernel**.

# Memory Analysis

- After memory acquisition: **Memory analysis**
  1. **Autopsy**: a collection of open source forensic tools
    - provides an **easy-to-use GUI** for the investigator
  2. **Volatility**: a free tool for extraction of **digital artifacts** from **volatile memory** samples (RAM)
    - Supports Linux, Windows and Android **memory dumps**
    - Discovers open connections, running processes, etc.

# Goal of our work

- We investigate whether we can discover **authentication credentials** of mobile applications in the **volatile memory** of mobile devices
  - **13** security critical applications
  - **30** different scenarios
  - **2** sets of experiments → In total, **403 experiments !**
- We have used **open-source, free** forensic tools
  - **LiME** and **Autopsy**

# Tested Applications

- The **examined applications** belong to **four (4) categories** which elaborate **sensitive users' data**:
  - i. **mobile banking,**
  - ii. **e-shopping/financial applications,**
  - iii. **password managers,**
  - iv. **encryption/data hiding applications.**

# Testbed

- Rooted **Samsung Galaxy S Plus** (i9001).
  - Android v2.3 (Gingerbread),
    - It was **the most popular Android version**, according to the **Google's statistics** [*accessed June 2013*]
  - **512 MB RAM**
- Using **LiME**, the **memory dumping** process lasted **nine minutes**.



# 1<sup>st</sup> experiment

- Examine for each **investigated application** and **studied scenario**
  - **13x30 = 390 cases**
  - whether we can discover **authentication credentials** (e.g., username and/or passwords)
  - in the **physical memory** (RAM) of the mobile device (Galaxy S plus).
  - the **authentication credential** that we are looking for in the memory images are **known, (we typed them)**

# 1<sup>st</sup> experiment

<div>← PREVIOUS</div> <div>NEXT →</div> <div>EXPORT CONTENTS</div> <div>ADD NOTE</div> <div>ASCII (<a href="#">display</a> - <a href="#">report</a>) * Hex (<a href="#">display</a> - <a href="#">report</a>) * ASCII Strings (<a href="#">display</a> - <a href="#">report</a>)</div> <div>File Type: data</div>					
Unit: 176538					
128	00000000	00000000	00000000	00000000	....
144	00000000	00000000	00000000	00000000	....
160	00000000	00000000	00000000	00000000	....
176	01000000	00000000	00000000	00000000	....
192	0000803f	ffffffff	00000000	01000000	...?
208	00000000	ffffffff	808080ff	00000000	....
224	16030801	17030801	18030801	00000000	....
240	00000000	00000000	00000000	23010000	.... #...
256	50180140	00000000	83000000	00000000	P..@
272	7b002200	63006f00	6d006d00	61006e00	{." c.o m.m. a.n.
288	64002200	3a002200	61007500	74006800	d." :." a.u. t.h.
304	65006e00	74006900	63006100	74006500	e.n. t.i. c.a. t.e.
320	64005f00	70006900	6e006700	5f007500	d. _ p.i. n.g. _u.
336	73006500	72002200	2c002200	70006100	s.e. r." ,." p.a.
352	73007300	77006f00	72006400	22003a00	s.s. w.o. r.d. "...
368	22006400	73007300	65006300	22002c00	"d. s.s. e.c. ,..
384	22006100	70006900	5f007600	65007200	"a. p.i. _v. e.r.
400	73006900	6f006e00	22003a00	22003800	s.i. o.n. "... ,8.
416	22002c00	22007500	73006500	72006e00	"... "u. s.e. r.n.
432	61006d00	65002200	3a002200	64007200	a.m. e." :." d.r.
448	40006600	6f006f00	2e006300	6f006d00	@.f. o.o. ..c. o.m.
464	22007d00	00000000	00000000	00000000	"}. ....
480	00000000	00000000	00000000	00000000	....
496	00000000	00000000	00000000	00000000	....

# 2<sup>nd</sup> experiment

- Explore in the **considered applications**,
  - **13 cases**
  - if we can **discover patterns** and **expressions**
  - that **indicate** the **exact position** of the **authentication credentials** in the **memory dump**.

# Scenarios 1/4

Scenarios	Description of steps
<u>Scenario 1</u>	
S1.a	Login, use, logout, <u>immediate</u> dump.
S1.b	Login, use, logout, <u>device idle for 10 minutes</u> , dump.
S1.c	Login, use, logout, <u>device idle for 20 minutes</u> , dump.
S1.d	Login, use, logout, <u>device idle for 60 minutes</u> , dump.
<u>Scenario 2</u>	
S2.a	Login, use, logout, <u>use it as a phone for 10 minutes</u> , dump.
S2.b	Login, use, logout, <u>use it as a phone for 20 minutes</u> , dump.
S2.c	Login, use, logout, <u>use it as a phone for 60 minutes</u> , dump.
<u>Scenario 3</u>	
S3.a	Login, use, logout, <u>use it as a smart phone for 10 minutes</u> , dump
S3.b	Login, use, logout, <u>use it as a smart phone for 20 minutes</u> , dump
S3.c	Login, use, logout, <u>use it as a smart phone for 60 minutes</u> , dump

# Scenarios 2/4

<u>Scenario 4</u>	
S4.a	Login, use, <u>set the application into the background</u> , immediate dump.
S4.b	Login, use, <u>set the application into the background</u> , device <b>idle for 10 minutes</b> , dump.
S4.c	Login, use, <u>set the application into the background</u> , device <b>idle for 20 minutes</b> , dump.
S4.d	Login, use, <u>set the application into the background</u> , device <b>idle for 60 minutes</b> , dump.
<u>Scenario 5</u>	
S5.a	Login, use, <u>set the application into the background</u> , <b>use the device <u>as a phone</u> for 10 minutes</b> , dump.
S5.b	Login, use, <u>set the application into the background</u> , <b>use the device <u>as a phone</u> for 20 minutes</b> , dump.
S5.c	Login, use, <u>set the application into the background</u> , <b>use the device <u>as a phone</u> for 60 minutes</b> , dump.

# Scenarios 3/4

<u>Scenario 6</u>	
S6.a	Login, use, <u>set the application into the background</u> , <u>use the device as a smart phone for 10 minutes</u> , dump.
S6.b	Login, use, <u>set the application into the background</u> , <u>use the device as a smart phone for 20 minutes</u> , dump.
S6.c	Login, use, <u>set the application into the background</u> , <u>use the device as a smart phone for 60 minutes</u> , dump.
<u>Scenario 7</u>	
S7	Login, use, logout, <u>use task killer</u> , immediate dump.
<u>Scenario 8</u>	
S8.a	Login, use, logout, <u>switch the device to airplane mode</u> , immediate dump.
S8.b	Login, use, logout, <u>switch the device to airplane mode</u> , device <u>idle for 10 minutes</u> , dump.
S8.c	Login, use, logout, <u>switch the device to airplane mode</u> , device <u>idle for 20 minutes</u> , dump.
S8.d	Login, use, logout, <u>switch the device to airplane mode</u> , device <u>idle for 60 minutes</u> , dump.

# Scenarios 4/4

<u>Scenario 9</u>	
S9.a	Login, use, logout, <u>switch the device to airplane mode</u> , <u>use gaming applications for 10 minutes</u> , dump.
S9.b	Login, use, logout, <u>switch the device to airplane mode</u> , <u>use gaming applications for 20 minutes</u> , dump.
S9.c	Login, use, logout, <u>switch the device to airplane mode</u> , <u>use gaming applications 60 minutes</u> , dump.
<u>Scenario 10</u>	
S10	Login, use, logout, <b>reboot</b> , immediate dump.
<u>Scenario 11</u>	
S11	Login, use, logout, <u>switch off the device</u> , <b>remove battery for 5 seconds</b> , <u>insert battery</u> , <b>switch on</b> , dump.

		Applications																								Total	Total per scenario		
		m-banking												financial/e-shopping						password managers				encryption/hiding					
		bank1		bank2		bank3		bank4		bank5		bank6		financial1		financial2		financial3		password1		password2		encryption1		encryption2			
Scenario 1	s1.a	U	P	U	P	U	P	U	P	U	P	X	X	U	P	U	P	U	P	-	P	-	P	-	P	-	P	20/22	71/88 80%
	s1.b	U	P	U	P	U	P	U	P	U	P	X	X	U	P	U	P	U	X	-	P	-	P	-	P	-	P	19/22	
	s1.c	U	P	U	P	U	P	U	P	U	P	X	X	U	X	U	P	U	X	-	P	-	P	-	P	-	P	18/22	
	s1.d	U	P	U	P	U	P	U	P	U	P	X	X	U	X	X	X	X	X	-	P	-	P	-	X	-	P	14/22	
Scenario 2	s2.a	U	P	U	P	U	P	U	P	U	P	X	X	U	P	U	P	U	X	-	P	-	P	-	P	-	P	19/22	51/66 77%
	s2.b	U	P	U	P	U	P	U	P	U	P	X	X	U	X	U	P	U	X	-	P	-	P	-	P	-	P	18/22	
	s2.c	U	P	U	P	U	P	U	P	U	P	X	X	U	X	X	X	X	X	-	P	-	P	-	X	-	P	14/22	
Scenario 3	s3.a	X	X	U	P	U	P	U	P	U	P	X	X	U	X	U	X	U	X	-	X	-	X	-	P	-	P	13/22	32/66 48%
	s3.b	X	X	U	P	U	X	U	P	U	P	X	X	U	X	U	X	U	X	-	X	-	X	-	P	-	P	12/22	
	s3.c	X	X	X	X	U	X	X	X	U	P	X	X	U	X	U	X	U	X	-	X	-	X	-	X	-	P	7/22	
Scenario 4	s4.a	U	P	U	P	U	P	U	P	U	P	U	P	U	P	U	P	U	P	-	P	-	P	-	P	-	P	22/22	71/88 80%
	s4.b	U	P	U	P	U	P	U	P	U	P	X	X	U	P	U	P	U	P	-	P	-	X	-	P	-	P	19/22	
	s4.c	U	P	U	P	U	P	U	P	U	P	X	X	U	P	U	P	U	P	-	P	-	X	-	P	-	P	19/22	
	s4.d	U	P	U	P	U	X	X	X	U	P	X	X	U	X	U	X	X	X	-	P	-	X	-	X	-	P	11/22	
Scenario 5	s5.a	U	P	U	P	U	P	U	P	U	P	X	X	U	P	U	P	U	P	-	P	-	X	-	P	-	P	19/22	49/66 74%
	s5.b	U	P	U	P	U	P	U	P	U	P	X	X	U	P	U	P	U	P	-	P	-	X	-	P	-	P	19/22	
	s5.c	U	P	U	P	U	X	X	X	U	P	X	X	U	X	U	X	X	X	-	P	-	X	-	X	-	P	11/22	
Scenario 6	s6.a	U	P	U	P	U	P	U	P	U	P	X	X	U	P	U	P	U	P	-	P	-	X	-	P	-	P	19/22	48/66 72%
	s6.b	U	P	U	P	U	P	U	P	U	P	X	X	U	P	U	P	U	P	-	P	-	X	-	P	-	P	19/22	
	s6.c	U	P	U	P	U	X	X	X	U	P	X	X	U	X	X	X	X	X	-	P	-	X	-	X	-	P	10/22	
Scenario 7	s7	U	P	U	P	U	P	U	P	U	P	X	X	X	X	U	P	X	X	-	P	-	P	-	P	-	P	16/22	16/22 72%
Scenario 8	s8.a	U	P	U	P	U	P	U	P	U	P	X	X	U	P	X	X	U	X	-	X	-	X	-	X	-	P	14/22	51/88 58%
	s8.b	U	P	U	P	U	P	U	P	U	P	X	X	U	X	X	X	U	X	-	X	-	X	-	X	-	P	13/22	
	s8.c	U	P	U	P	U	P	U	P	U	P	X	X	U	X	X	X	U	X	-	X	-	X	-	X	-	P	13/22	
	s8.d	U	P	U	P	U	P	U	P	U	P	X	X	X	X	X	X	X	X	-	X	-	X	-	X	-	P	11/22	
Scenario 9	s9.a	X	X	X	X	X	X	X	X	U	P	X	X	U	X	X	X	U	X	-	X	-	X	-	X	-	P	5/22	11/66 16%
	s9.b	X	X	X	X	X	X	X	X	U	P	X	X	X	X	X	X	X	X	-	X	-	X	-	X	-	P	3/22	
	s9.c	X	X	X	X	X	X	X	X	U	P	X	X	X	X	X	X	X	X	-	X	-	X	-	X	-	P	3/22	
Scenario 10	s10	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X	-	X	0/22	0/22 0%
Scenario 11	s11	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X	-	X	0/22	0/22 0%
Total		22/30	22/30	24/30	24/30	25/30	20/30	21/30	21/30	28/30	28/30	1/30	1/30	24/30	11/30	18/30	13/30	19/30	8/30	-	18/30	-	9/30	-	15/30	-	28/30		
Total per category		237/360 - 65%												93/180 - 51%						27/60 - 45%				43/60 - 71%					



# Observation 1

- As long as the user **does not employ** the mobile device
  - **powered on** and **idle**,
- it is more likely the **authentication credentials** (i.e., data in motion) **to remain intact**
  - in the **volatile memory** of the device.

# Observation 2

- To ensure that the **memory** of a mobile device does not contain **authentication credentials** or other **sensitive data**
  - Have to either reboot the device or **remove its battery**.
  - This has been also proved for desktop/laptop computers.
  - However, there is a fundamental difference in the usage of **mobile devices** and desktops/laptops

# Observation 3 and 4

- **Time is with security**
  - The more time passes from the moment **a user submitted his/her credentials**, the more likely these to be deleted.
- Using a **task killer** application to end a running application
  - does not **wipe out the related authentication credentials** from the **volatile memory**.

# Observation 5

- **Setting up** a running **application** into the **background**
  - does not delete the **authentications credentials** from the **volatile memory** of the **mobile device**.
- This is **an alarming result**, since it is a **common practice** among users
  - to set up the running applications into the background,
  - **instead of logging out properly**.

# Observation 6

- Using a mobile device as **a smart phone**
  - it is more likely to **erase the authentication credentials** from the **device's volatile memory**.
  - a running application **overwrites**, previously, **stored data** in the device's volatile memory.
- Using it as **mobile phone**
  - **does not engage** the **volatile memory** of the mobile device

# Observation 7

- Switching the mobile device to **the airplane mode**
  - the **contents** of the devices volatile memory are not necessarily erased.
- In cases that **after switching**
  - the mobile user **activates** and **runs** an application such as a game
  - the majority of **the authentications credentials**, are erased.

# Observations 8 and 9

- The majority of the **examined** Android applications
  - **are vulnerable** to the **recovery** of authentication credentials from the **volatile memory**.
- It is **alarming** that even **m-banking applications**
  - have been proved to **be vulnerable** to the **discovery of authentication credentials**.

# Observation 10

- We found out that
  - some Android applications are secure under the threat of **discovery of authentication credentials** (e.g., bank6 application)
  - while some other are, completely, **exposed to this** (e.g., encryption2 and bank5 applications).
- These results show
  - some applications **have been developed** taking into account **security & privacy precaution**
  - **whilst some other not.**



# Observation 11

- Regardless of the **criticality** of the considered applications
  - developers should use **correct** and **secure programming techniques**
    - i.e., delete the authentication credentials when they are not used from the applications
  - this enhances the **level of security** provided by mobile platforms

# Observation 12

- **Password managers** aim to enhance the **privacy** of **users**
  - by protecting their **passwords**,
  - but they were found to **be vulnerable**.
- If a user **loses** his/her device,
  - a malicious may discover all the **user's passwords**
  - only by discovering the **master password** of the **employed password manager** application

# 2<sup>nd</sup> Experiment - Results

<u>Username</u>	<u>Password</u>
j_username=	j_password=
username=	password=
userid>	password:
login i:type=	pass i:type:

# Observation 13

- We proved the existence of **patterns** and **expressions**
  - show where the **authentication credentials** are, exactly, **located in a memory dump**.
- **A malicious** will simply **search for these in a memory dump**
- Developers **should avoid** using such **patterns or expressions** in the provided mobile applications.

# Future work

- Test **more** applications
- Enhance **LiME functionality**
  - eliminate the current limitations
- Discover **more data** than **usernames** and **passwords**
  - **cryptographic keys**, **deleted SMS**, etc.

**Thank You!**

**QUESTIONS?**

**Christos Xenakis**

<http://cgi.di.uoa.gr/~xenakis/>

email: [xenakis@unipi.gr](mailto:xenakis@unipi.gr)